Dart Aerospace Ltd. Tuesday, 12/18/2007 10:51:24 AM Date: Kim Johnston User **Process Sheet** : WEARSHOE Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 36424 **Estimate Number** : 12734 : D353525 Part Number P.O. Number **Drawing Number** D3535 REV B This Issue : N/A Prsht Rev. Project Number : SMALL /MED FAB First Issue **Drawing Revision** Previous Run Material Due Date 1/15/2008 20 Um: Each Written By Checked & Approved By New Issue 07-02-15 JLM : Est Rev:A Comment Est Rev:B As per Rev B 07-08-31 JLM Verified By:EC **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 1.0 M304S20GA 304/316 .040 Sheet Comment: Qty.: 0.5355 sf(s)/Unit Total: 10.7100 sf(s) 304/316 .040 Sheet (M304S20GA) Batch: 106393 2.0 Comment: FLOW WATER JET 1-Cut as per Dwg D3535 Dwg Rev: Prog Rev: 2-Deburr if necessary 3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC8 SECOND CHECK Comment; SECOND CHECK 5.0 BRAKE NO NC BRAKE

Comment: NC BRAKE

1-Form on CNC Brake as per Dwg D3535 using Jigs DT8261and DT8326

2-Form joggle on Punch as per Dwg D3535 using Jig DT8158Identify as D3535-25

Dart Ae	rospace	Ltd	· 4.							
W/O:				WORK ORDER	CHANGES					
DATE	STEP	-	PR	OCEDURE CHANGE		Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	***	.								
		* 3								
Part No	:		PAR #:	Fault Category:	NCR:	Yes (DQA	4:10	Date: <u>_ </u>	Bloiln
				£.		QA: N/	C Closed	d:	_ Date:	
NCR:			1	WORK ORDER NON-COM	FORMANCE (NCR)			

NCR:		•	NORK OR	DER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
								-
				•				
								,
•								
				·				
							Ŷ	
				•				

NOTE: Date & initial all entries

Tuesday, 12/18/2007 10:51:24 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: WEARSHOE Customer: CU-DAR001 Dart Helicopters Services Job Number: 36424 Part Number: D353525 Job Number: Description: Seq. #: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING M105642 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION 08 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FID-10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion N 080611

Dart Ae	rospace	Ltd		- 1		9.5		
W/O:			W	ORK ORDER CHANG	ES			
DATE	STEP	PR	OCEDURE CHA	NGE	Ву	Date Q	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						(i)		
				· · · · · · · · · · · · · · · · · · ·				
Part No	•	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA :	Date: _	
					QA: N	/C Closed:	Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCF	2)		
		Description of NC		Corrective Action Section		Verificatio	n Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
					9			
	1 1		121		i		1	i .

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	36424
Description: Wearshoe	Part Number:	D3535-25
Inspection Dwg: D3535 Rev: B		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST


X	First Article	Prototype)
---	---------------	-----------	---


Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
+/-0.010	1.889	888.1		, , , , , , , , , , , , , , , , , , , ,	
+/-0.010		×			
+/-0.010		نخ			
+/-0.010	5,455	¥			
+/-0.010	10.900	×			
+/-0.010		×			
+/-0.010		X			
+0.005/-0.001		¥			
+/-0.010		کم			
+/-0.030			÷.		
+/-0.030		T .			
+/-0.010		ک			
+/-0.010		يد			
+/-0.010	1036	¥			
 		•			
					:
	+/-0.010 +/-0.010 +/-0.010 +/-0.010 +/-0.010 +/-0.010 +/-0.010 +/-0.030 +/-0.030 +/-0.010 +/-0.010	Tolerance +/-0.010 +/-0.010 1.937 +/-0.010 1.450 +/-0.010 1.450 +/-0.010 1.6.966 +/-0.010 1.860 +/-0.010 1.756 +/-0.030 +/-0.030 +/-0.030 +/-0.010 1.99 +/-0.010 305 +/-0.010 305	Tolerance +/-0.010 +/-0.010 1.937 +/-0.010 1.937 +/-0.010 1.937 +/-0.010 1.937 +/-0.010 1.938 +/-0.010 1.938 +/-0.010 1.938 +/-0.010 1.938 1.938 1.938 4 1.938 1.938 4 1.938 4 1.938 1.938 4 1.938 1.938 4 1.938 1.	Tolerance +/-0.010 +/-0.010 1.937 +/-0.010 1.450 +/-0.010 1.450 +/-0.010 1.450 +/-0.010 1.6350 4 +/-0.010 1.860 +/-0.010 1.860 +/-0.010 1.860 +/-0.010 1.860 +/-0.010 1.860 +/-0.010 1.860 +/-0.030 1.860 +/-0.030 1.860 +/-0.030 1.860 +/-0.030 1.860 +/-0.030 1.860 +/-0.030 1.860 1.8	Tolerance

Measured by:	Audited by:	ch,	Prototype Approval:	N/A
Date: 07-13~30	Date:	0 12/01	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	07.11.23	New Issue	KJ/EC/DD . X	
			1 / X	







CHECKED

包

DATE

07.04.17

42.40.La RELEASED

22.500 19.000 14.250 9.500 6.000 2.000 1.885 DETAIL A #0.188 (TYP 3 PLS) D3535-31F FLAT PATTERN



UNCONTROLLED COPY SUBJECT TO AMENDMENT SHOP COPY WITHOUT NOTICE ENGINEERING RETURN TO

유 COPIED

ᠴ

Copyright © 2006 by DART AEROSPACE USA, INC.

DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3

4.5 OUS 4.5

3) PART IS SYMMETRICAL ABOUT ©


4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


5) ALL DIMENSIONS ARE IN INCHES

6) BREAK ALL SHARP EDGES TO 0.010 MAX

7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER

8) SEE PAGE 7 FOR DETAILS AND SECTION





DRAWN BY	DART AEROSPACE USA, INC.
APPROVED i/// DRAWING NO.	DRAWING NO. REV. B
4	D3535 SHEET 4 OF 7
	TITLE SCALE
	WEADSHOE

47.40.60

WILLIAS I

코 당


DOCUMENT

 \overline{S}


PURPOSE

ဝွ

COPIED




D3535-35F FLAT PATTERN





- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK)
 (REF DART SPEC M304S20GA)
 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
 3) PART IS SYMMETRICAL ABOUT ©
 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 5) ALL DIMENSIONES ARE IN INCHES

- ALL DIMENSIONS ARE IN INCHES
- BREAK ALL SHARP EDGES TO 0.010 MAX
- IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION







WEARSHOE 1:10		07.04.17
TITLE SCALE		DATE
D3535 SHEET 5 OF 7	+	-M
DRAWING NO. REV. B	// DANONAD	CHECKED 1/
DART AEROSPACE USA, INC.	DRAWN BY	CB





h2-10-10

DIM MASIM









캎 Copyright © 2006 by DART AEROSPACE USA, INC.

DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.